

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L302981-47725-12211202-1
Report Reference E302981-20211221
Date 12-Jun-2023

Issued to: BARKSDALE INC
3211 FRUITLAND AVE
VERNON, CA 90058-3717
United States

This is to certify that representative samples of QUYX8 - Process Control Equipment, Electrical Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CAN/CSA-C22.2 No. 61010-1-12, 3rd Ed., Issue Date: 2012-5-11, Revision Date: 2019-07-19, AMD: 1

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L302981-47725-12211202-1
Report Reference E302981-20211221
Date 12-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BT2, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT3, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT4, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT5, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT6, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L302981-47705-12211202-1
Report Reference E302981-20211221
Date 12-Jun-2023

Issued to: BARKSDALE INC
3211 FRUITLAND AVE
VERNON, CA 90058-3717
United States

This is to certify that representative samples of QUYX2 - Process Control Equipment, Electrical - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 61010-1, 3rd Ed., Issue Date: 2012-05-11, Revision Date: 2019-07-19

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L302981-47705-12211202-1
Report Reference E302981-20211221
Date 12-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BT2, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT3, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT4, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT5, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer
BT6, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18, 38, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 <U+0096> 10, A <U+0096> D, S or Q followed by additional alphanumeric suffixes.	Pressure Transducer

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2148698-2
Report Reference E302981-20211221
Date 12-Jun-2023

Issued to: BARKSDALE INC
3211 FRUITLAND AVE
VERNON, CA 90058-3717
United States

This is to certify that representative samples of NMTR8 - Power Circuit and Motor-mounted Apparatus
Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 No. 14 , Edition: 13, Issue Date: 2018-03

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2148698-2
Report Reference E302981-20211221
Date 12-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BT2, followed by H3 or T4, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, or 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, 38, followed by A, G, BA, or BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, Z17, A – D, S, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT3, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT4, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT5, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT6, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2201236-3
Report Reference E302981-20211221
Date 12-Jun-2023

Issued to: BARKSDALE INC
3211 FRUITLAND AVE
VERNON, CA 90058-3717
United States

This is to certify that representative samples of NMTR2 - Power Circuit and Motor-mounted Apparatus - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2201236-3
Report Reference E302981-20211221
Date 12-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BT2, followed by H3 or T4, followed by 23, 27, 25, 01, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, or 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, 38, followed by A, G, BA, or BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, Z17, A – D, S, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT3, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT4, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT5, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer
BT6, followed by D3, D4, H4, T5, or T6, followed by 23, 27, 25, 01, 38, 21, 03, 22, 04, 05, 06, 07, 08, 10, 11, 12, 13, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 14, 15, 16, 17, 36, 18, followed by A, G, BA, BG, may be followed by P2, P3, P7, P9, or P16, followed by C, P, or W, followed by U, may be followed by Z1, 01 – 10, A – D, S, Z17, Q50, or Q followed by additional alphanumeric suffixes. See Nomenclature for additional details.	Pressure Transducer

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>